

L Number	Hits	Search Text	DB	Time stamp
-	1	("60130777").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 09:40
-	80	application near3 establish\$3 near3 path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 15:16
-	142	((709/238).CCLS.) and (application same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 15:17
-	101	((709/238).CCLS.) and (application same path)) and @ay < "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 15:51
-	4	establish\$3 adj communicat\$3 adj path adj between adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 16:01
-	81	rout\$3 adj table same path same application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 16:13
-	21	(rout\$3 adj table same path same application) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 16:14
-	91	((709/238).CCLS.) and (communicat\$3 adj path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:29
-	13	((709/238).CCLS.) and ((communicat\$3 adj path) same application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 11:06

-	121	("5517636" "5701484" "4280217" "6085100" "6252544" "5550911" "6330250" "5680551" "5790809" "5983265" "5519772" "5579318" "5826014" "6061798" "6061798" "6094479" "6181935" "6317594" "6078948" "5012747" "5483522" "6055228" "6076116" "6125397" "5371890" "5446871" "5497484" "5875234" "4251879" "5007089" "5291597" "5331574" "5448723" "5526483" "5606493" "5627977" "5675740" "5754784" "5777986" "5802312" "5889516" "5892753" "5974568" "6012082" "6023730" "6199160" "5802388" "6021443" "6023742" "6249519").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 11:06
---	-----	--	---	------------------

-	83	("5517636" "5701484" "4280217" "6085100" "6252544" "5550911" "6330250" "5680551" "5790809" "5983265" "5519772" "5579318" "5826014" "6061798" "6061798" "6094479" "6181935" "6317594" "6078948" "5012747" "5483522" "6055228" "6076116" "6125397" "5371890" "5446871" "5497484" "5875234" "4251879" "5007089" "5291597" "5331574" "5448723" "5526483" "5606493" "5627977" "5675740" "5754784" "5777986" "5802312" "5889516" "5892753" "5974568" "6012082" "6023730" "6199160" "5802388" "6021443" "6023742" "6249519").pn. ) and path application near3 establish near3 session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 12:00
-	145		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 16:30

-	9	("5517636" "5701484" "4280217" "6085100" "6252544" "5550911" "6330250" "5680551" "5790809" "5983265" "5519772" "5579318" "5826014" "6061798" "6061798" "6094479" "6181935" "6317594" "6078948" "5012747" "5483522" "6055228" "6076116" "6125397" "5371890" "5446871" "5497484" "5875234" "4251879" "5007089" "5291597" "5331574" "5448723" "5526483" "5606493" "5627977" "5675740" "5754784" "5777986" "5802312" "5889516" "5892753" "5974568" "6012082" "6023730" "6199160" "5802388" "6021443" "6023742" "6249519").pn. ) and (path same channel) ("5619650").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 12:01
-	3		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 14:29
-	1	port\$3 adj application near5 establish\$3 adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 12:20

-	190	session same channel same path same communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 13:18
-	146	((session same channel same path same communication) and @ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 13:45
-	131	((session same channel same path same communication) and @ay < "2000") and (application or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 13:46
-	10	establishing adj communication adj between adj applications	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 14:18
-	266	(709/313,314).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 14:30
-	13	((709/313,314).CCLS.) and (path same channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 14:44
-	9	path same ((insert or add) adj application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 15:07
-	132	(709/243).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 15:08
-	125	rout\$3 same ((port\$3 or insert\$3 or add\$3) adj application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 15:43
-	189	((port or insert\$3 or add\$3 or load\$3) adj application) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 16:13
-	1	((((port or insert\$3 or add\$3 or load\$3) adj application) same path) and @ay < "2000") and configur\$3 adj path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 15:50
-	159	((((port or insert\$3 or add\$3 or load\$3) adj application) same path) and @ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 15:51
-	29	((port or insert\$3 or add\$3 or load\$3 or install\$3) adj program) same path same channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 16:18

-	27	(application near3 establish near3 session) and (add\$3 or install\$3 or load\$3 or insert\$3) adj (application or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 16:04
-	73	((channel or path) same (add\$3 or install\$3 or load\$3 or insert\$3) adj (application or program)) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:28
-	4	((("6266782") or ("6360250")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:29
-	2	("6137792").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:07
-	2	("6137792").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:07
-	3	("5619650").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:07
-	67	((channel or path) same (add\$3 or install\$3 or load\$3 or insert\$3) adj (object or module)) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:35
-	36	((713/1,2).CCLS.) and (path same channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:43
-	3	((create or establish) adj (connection or path)) and 709/??? and network same router adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:48
-	5	routing adj table adj manager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:51
-	40	establish\$3 adj connection adj applications	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 17:52
-	124	client near3 server near3 (connection or path) same channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:08
-	55	path same channel near3 handler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:10

-	286	connect\$3 near2 node same path near2 channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:30
-	7	("5392425"   "5396505"   "5481548"   "5640394"   "5727152"   "6026080"   "6157635").PN.	USPAT	2002/08/07 18:25
-	213	session near2 (establish\$3 or creat\$3) near2 applications	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:30
-	6	(connect\$3 near2 node same path near2 channel) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:33
-	1	establish adj communication adj between adj two adj applications	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:47
-	31	session adj service same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:36
-	53	((709/227).CCLS.) and (path near5 channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:48
-	40	((((709/227).CCLS.) and (path near5 channel)) and @ay < "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 18:48
-	35	((((709/227).CCLS.) and (path near5 channel)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 16:45
-	26	rout\$3 adj application same path same channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 16:50
-	187	rout\$3 adj application same communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 16:52
-	36	((709/???).CCLS.) and (rout\$3 adj application same communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 16:52
-	3	event adj channels same application same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 17:20

-	177	(709/318).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:14
-	29	((709/318).CCLS.) and network same channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 17:21
-	7	corba near3 event adj channels	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:14
-	23	5539886.URPN.	USPAT	2002/08/08 17:40
-	3	("5539886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:14
-	114	((709/318).CCLS.) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:32
-	294	(709/237).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:33
-	6	((709/237).CCLS.) and ready adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:34
-	19	((709/237).CCLS.) and ready adj (message or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 18:41
-	20	distribut\$3 near2 application same path same channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 10:46
-	163	distribut\$3 near2 application same connect\$3 same (path or channel or port)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 10:48
-	39	(distribut\$3 near2 application same connect\$3 same (path or channel or port)) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 10:58
-	91	((709/???).CCLS.) and (component same (path or channel or port) same session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 10:59



-	51	(((709/???).CCLS.) and (component same (path or channel or port) same session)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:48
-	294	(709/237).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:13
-	62	(((709/237).CCLS.) and session) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 14:15
-	78	((709/237).CCLS.) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:26
-	3	configuration adj file same path adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:27
-	210	(configuration adj file same (path or port or socket or channel)) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:29
-	133	((configuration adj file same (path or port or socket or channel)) and ((709/???).CCLS.)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:55
-	16	advertise adj service same (path or channel or port or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:37
-	245	((709/237).CCLS.) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:42
-	178	(((709/237).CCLS.) and @ay < "1999") and (path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:54
-	178	((((709/237).CCLS.) and @ay < "1999") and (path or channel or session)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:53
-	271	((709/238-244).CCLS.) and rout\$3 adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:54
-	248	(((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 11:55

-	181	(((((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 17:17
-	6	(((((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table)) and @ay < "1999") and ((add or install or insert or load) adj (application or module or program or component))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:11
-	285	(install\$5 or load\$3 or add\$3) near3 (establish\$3 or request\$3 or creat\$3) adj (connection or path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:17
-	20	search adj (session or path or channel or connection) adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:17
-	30	((install\$5 or load\$3 or add\$3) near3 (establish\$3 or request\$3 or creat\$3) adj (connection or path or channel or session)) and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:23
-	2	system adj services adj api	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:27
-	12	application adj program adj path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:33
-	30	communication same (new adj application) same (existing adj application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:47
-	144	dynamic adj loading same (path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:53
-	120	(dynamic adj loading same (path or channel or session)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 12:49
-	13	dynamic\$4 adj load\$3 adj (application or program or module or component) same (path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 13:00
-	5	configur\$3 adj network adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 13:39
-	3	("5539886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 13:48

-	42	((709/???).CCLS.) and (configur\$3 adj (path or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 14:13
-	143	inter adj process adj communication same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 14:15
-	102	(inter adj process adj communication same (path or channel)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 15:13
-	3	communication adj (channel or path) same ready adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 15:33
-	3	("4692861").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 15:34
-	3	("5517636").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 16:43
-	14	5517636.URPN.	USPAT	2002/08/09 15:48
-	3	("5619650").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 17:12
-	93	socket adj api	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 17:16
-	59	((709/???).CCLS.) and (socket adj api)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/09 17:16
-	45	((((709/???).CCLS.) and (socket adj api)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:05
-	12	("4428043"   "4768150"   "4855905"   "4941089"   "5124909"   "5142622"   "5251205"   "5287537"   "5307346"   "5309437"   "5327558"   "5490252").PN.	USPAT	2002/08/09 17:17
-	132	(709/243).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:38
-	110	((709/243).CCLS.) and (path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:06

-	103	(((709/243).CCLS.) and (path or channel or session)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:06
-	1	path adj data near1 (ascertain or look adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:45
-	7	(path or channel or session) adj (data or information) near1 (ascertain or look adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:50
-	238	configuration adj file WITH (path or channel or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 12:51
-	82	(configuration adj file WITH (path or channel or session)) and ((709/??).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 13:01
-	88	(application or program) adj (ascertain or search) with (path or session or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 13:11
-	70	((application or program) adj (ascertain or search) with (path or session or channel)) and @ay < "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:01
-	57	request adj (session or path) same (path or session) adj (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 13:24
-	15	application with (look or search or find or ascertain) with (rout\$3 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 13:58
-	2	monitor with notify with application same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:00
-	127		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:01
-	93		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:16
-	3		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:16

-	69	retriev\$3 near3 path adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:16
-	59	(retriev\$3 near3 path adj data) and @ay < "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:28
-	30	((713/1,2).CCLS.) and application near2 (path or channel or port)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:47
-	190	((709/311-314).CCLS.) and (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:48
-	61	((709/311-314).CCLS.) and communication adj (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 14:58
-	3	add adj node same (cluster or network) same (configur\$5 with (path or channel or session))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:01
-	19	add adj node same (cluster or network) and (configur\$5 with (path or channel or session))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:05
-	3	install\$5 with application same configuration adj file same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:07
-	103	install\$5 with application same configuration adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:08
-	71	(install\$5 with application same configuration adj file ) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:09
-	10	("5572678"   "5586118"   "5764915"   "5822531"   "5937165"   "5938733"   "5941949"   "6097731"   "6144999"   "6157944").PN.	USPAT	2002/08/10 15:16
-	3	application with (look adj up) with (rout\$3 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:25
-	187	port\$3 adj application same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:33

-	162	(port\$3 adj application same (path or channel)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:37
-	30	rout\$3 adj table same establish adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:48
-	122	name adj service same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:49
-	69	(name adj service same (path or channel)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 15:49
-	76	client adj request adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 16:20
-	3	look adj up with application adj (address or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 16:39
-	24	bind\$3 adj applications same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 16:43
-	2	("6137792").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 16:45
-	38	network adj address same configuration adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:02
-	4	application adj rout\$3 adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:03
-	107	service adj rout\$3 adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:04
-	92	(service adj rout\$3 adj address) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:09
-	272	((709/???).CCLS.) and (establish adj session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:09

-	200	(((709/???).CCLS.) and (establish adj session)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:44
-	66	ready adj message same (path or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:48
-	1	("6430578").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:48
-	2	("6286047").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 17:49
-	2	("6266782").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 18:38
-	229	path same channel same handler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 18:38
-	28	(((709/???).CCLS.) and (path same channel same handler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 18:52
-	2	("6266782").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 18:52
-	2	("6360250").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/10 18:53